

**EPBU2.E316757****Direct-plug-in and Cord-connected Class 2 Power Units - Component**[Page Bottom](#)**Direct-plug-in and Cord-connected Class 2 Power Units - Component**[See General Information for Direct-plug-in and Cord-connected Class 2 Power Units - Component](#)**IMO PRECISION CONTROLS LTD**

E316757

1000 N Circular Rd
Staples Corner
London, NW2 7JP UNITED KINGDOM

Class 2 power supplies, Model(s) DPS-1-005-05, DPS-1-005-05B, DPS-1-005-12, DPS-1-005-12B, DPS-1-005-15, DPS-1-005-15B, DPS-1-005-24, DPS-1-005-24B, DPS-1-010-05, DPS-1-010-05B, DPS-1-010-12, DPS-1-010-12B, DPS-1-010-15, DPS-1-010-15B, DPS-1-010-24, DPS-1-010-24B, DPS-1-018-05, DPS-1-018-05B, DPS-1-018-12, DPS-1-018-12B, DPS-1-018-15, DPS-1-018-15B, DPS-1-018-24, DPS-1-018-24B, MPS-1-015-5, MPS-1-024-12, MPS-1-024-15, MPS-1-024-24

Class 2 power units, Model(s) DPS-1-030-12, DPS-1-030-12B, DPS-1-030-24, DPS-1-030-24B, DPS-1-030-48, DPS-1-030-48B, DPS-1-060-24, DPS-1-060-24B, DPS-1-060-48, DPS-1-060-48B, DPS-1-100-24L, DPS-1-120-24BL, DPS-1-120-24L, MPS-1-007-5, MPS-1-010-12, MPS-1-010-15, MPS-1-010-24, MPS-1-022-5, MPS-1-033-12, MPS-1-036-15, MPS-1-036-24, MPS-1-054-12, MPS-1-060-15, MPS-1-060-24

Note - Where z may be any alphanumeric character or blank.

Marking: Company name and model designation.

Last Updated on 2015-11-30

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

Reprinted from the Online Certifications Directory with permission from UL

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".



QQGQ2.E316758 Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

Page Bottom

Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

See General Information for Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

IMO PRECISION CONTROLS LTD

E316758

The Interchange Frobisher Way

Hatfield, AL10 9TG UNITED KINGDOM

| Model No. | Rated Input | | | Max Output | | | | SP | EP | FC | GC |
|--------------------------------|-------------|-------|----|------------|------|-------|----|-------------------------|-----|----|----|
| | Volts | Hz | SC | V | A | VA | OC | | | | |
| Component power supply. | | | | | | | | | | | |
| BPS-1-100-12 DC[*r] | 100-240ac | 50/60 | 0 | 12dc | 8 | 96 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-120-24 DC[*r] | 100-240ac | 50/60 | 0 | 24dc | 5 | 120 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-120-48 DC[*r] | 100-240ac | 50/60 | 0 | 48dc | 2.5 | 120 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-15-12 DC[*r] | 100-240ac | 50/60 | 0 | 12dc | 1.2 | 14.4 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-15-24 DC[*r] | 100-240ac | 50/60 | 0 | 24dc | 0.65 | 15.6 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-180-24 DC[*r] | 100-240ac | 50/60 | 0 | 24dc | 7.5 | 180 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-180-48 DC[*r] | 100-240ac | 50/60 | 0 | 48dc | 3.8 | 182.4 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-240-24 DC[*r] | 100-240ac | 50/60 | 0 | 24dc | 10 | 240 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-240-48 DC[*r] | 100-240ac | 50/60 | 0 | 48dc | 5 | 240 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-30-12 DC[*r] | 100-240ac | 50/60 | 0 | 12dc | 2.5 | 30 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-30-24 DC[*r] | 100-240ac | 50/60 | 0 | 24dc | 1.3 | 31.2 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-30-5 DC[*r] | 100-240ac | 50/60 | 0 | 5dc | 5 | 25 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-50-12 DC[*r] | 100-240ac | 50/60 | 0 | 12dc | 4.2 | 50.4 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-50-24 DC[*r] | 100-240ac | 50/60 | 0 | 24dc | 2.2 | 52.8 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-50-48 DC[*r] | 100-240ac | 50/60 | 0 | 48dc | 1.1 | 52.8 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-60-12 DC[*r] | 100-240ac | 50/60 | 0 | 12dc | 5 | 60 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-70-24 DC[*r] | 100-240ac | 50/60 | 0 | 24dc | 3 | 72 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| BPS-1-70-48 DC[*r] | 100-240ac | 50/60 | 0 | 48dc | 1.5 | 72 | 3 | 60950-1, 2nd Ed+AM1+AM2 | 20 | 0 | 1 |
| DPS -1-480-24 | 115/230ac | 47-63 | 0 | 24.07dc | 27.3 | 567.1 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS -1-480-48 | 115/230ac | 47-63 | 0 | 48.05dc | 13.5 | 583.9 | 3 | 60950-1, 2nd Ed | 20B | 0 | 1 |

| | | | | | | | | + AM1 | | | |
|--------------------------|-----------|-------|---|---------|------|-------|---|-----------------------|-----|---|---|
| DPS -1-480-48B | 115/230ac | 47-63 | 0 | 48.05dc | 13.5 | 583.9 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-1-005-05[*r] | 100-240ac | 47-63 | 0 | 5dc | - | 5 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-005-05B[*r] | 100-240ac | 47-63 | 0 | 5dc | - | 5 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-005-12[*r] | 100-240ac | 47-63 | 0 | 12dc | - | 5 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-005-12B[*r] | 100-240ac | 47-63 | 0 | 12dc | - | 5 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-005-15[*r] | 100-240ac | 47-63 | 0 | 15dc | - | 5 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-005-15B[*r] | 100-240ac | 47-63 | 0 | 15dc | - | 5 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-005-24[*r] | 100-240ac | 47-63 | 0 | 24dc | - | 5 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-005-24B[*r] | 100-240ac | 47-63 | 0 | 24dc | - | 5 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-010-05[*r] | 100-240ac | 47-63 | 0 | 5dc | - | 10 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-010-05B[*r] | 100-240ac | 47-63 | 0 | 5dc | - | 10 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-010-12[*r] | 100-240ac | 47-63 | 0 | 12dc | - | 10 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-010-12B[*r] | 100-240ac | 47-63 | 0 | 12dc | - | 10 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-010-15[*r] | 100-240ac | 47-63 | 0 | 15dc | - | 10 | 3 | 60950-1 | 20B | 1 | 0 |
| DPS-1-010-15B[*r] | 100-240ac | 47-63 | 0 | 15dc | - | 10 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-1-010-24[*r] | 100-240ac | 47-63 | 0 | 24dc | - | 10 | 3 | 60950-1 | 20B | 1 | 0 |
| DPS-1-010-24B[*r] | 100-240ac | 47-63 | 0 | 24dc | - | 10 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-1-018-05[*r] | 100-240ac | 47-63 | 0 | 5dc | - | 15 | 3 | 60950-1 | 20B | 1 | 0 |
| DPS-1-018-05B[*r] | 100-240ac | 47-63 | 0 | 5dc | - | 15 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-1-018-12[*r] | 100-240ac | 47-63 | 0 | 12dc | - | 18 | 3 | 60950-1 | 20B | 1 | 0 |
| DPS-1-018-12B[*r] | 100-240ac | 47-63 | 0 | 12dc | - | 18 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-1-018-15[*r] | 100-240ac | 47-63 | 0 | 15dc | - | 18 | 3 | 60950-1 | 20B | 1 | 0 |
| DPS-1-018-15B[*r] | 100-240ac | 47-63 | 0 | 15dc | - | 18 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-1-018-24[*r] | 100-240ac | 47-63 | 0 | 24dc | - | 18 | 3 | 60950-1 | 20B | 1 | 0 |
| DPS-1-018-24B[*r] | 100-240ac | 47-63 | 0 | 24dc | - | 18 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-1-030-05 | 100-240ac | 47-63 | 0 | 5.87dc | 7.9 | 41.38 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-030-05B | 100-240ac | 47-63 | 0 | 5 | - | 30 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-030-12 | 100-240ac | 47-63 | 0 | 14.96dc | 4 | 45.88 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-030-12B | 100-240ac | 47-63 | 0 | 12 | - | 30 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-030-24 | 120-240ac | 47-63 | 0 | 24dc | - | 30 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-030-24B | 100-240ac | 47-63 | 0 | 24 | - | 30 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-030-48 | 100-240ac | 47-63 | 0 | 56.87dc | 0.93 | 42 | 3 | 60950-1 | 20B | 0 | 1 |

| | | | | | | | | | | | |
|------------------------------------|--------------------------|-------|---|---------|-------|--------|---|-----------------------|-----|---|---|
| DPS-1-030-48B | 100-240ac | 47-63 | 0 | 48 | - | 30 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-060-05 | 100-240ac | 47-63 | 0 | 5.73dc | 11.4 | 57.2 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-060-05B | 100-240ac | 47-63 | 0 | 5 | - | 60 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-060-12 | 100-240ac | 47-63 | 0 | 14.76dc | 7 | 87 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-060-12B | 100-240ac | 47-63 | 0 | 12 | - | 60 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-060-24 | 100-240ac | 47-63 | 0 | 28.5dc | 3.48 | 91.45 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-060-24B | 100-240ac | 47-63 | 0 | 24 | - | 60 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-060-48 | 100-240ac | 47-63 | 0 | 28.5dc | 3.48 | 91.45 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-060-48B | 100-240ac | 47-63 | 0 | 48 | - | 60 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-1-100-12 | 100-240ac | 47-63 | 0 | 12.167 | 15.94 | 113.88 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-1-100-24[*r] | 100-240ac | 47-63 | 0 | 24 | - | 100 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-1-100-24L[*r] | 100-240ac | 47-63 | 0 | 24 | - | 92 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-1-100-48 | 100-240ac | 47-63 | 0 | 48.13 | 5.5 | 134.56 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-1-120-12, DPS-1-120-12B | | | | | | | | | | | |
| | 115/220/230ac | 47-63 | 0 | 12.02 | 14 | 124.68 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-120-24, DPS-1-120-24B | | | | | | | | | | | |
| | 115/220/230ac | 47-63 | 0 | 24.07 | 7.6 | 131.7 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-120-24BL | 115/220/230ac | 47-63 | 0 | 24.07 | 7.6 | 131.7 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-120-24L | 115/220/230ac | 47-63 | 0 | 24.07 | 7.6 | 131.7 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-120-48, DPS-1-120-48B | | | | | | | | | | | |
| | 115/220/230ac | 47-63 | 0 | 47.89 | 3.8 | 150.08 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-240-24 | 115/230ac | 47-63 | 0 | 24dc | 14.5 | 308.1 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-240-24B | 115/230ac | 47-63 | 0 | 24dc | 14.5 | 308.1 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-240-48 | 115/230ac | 47-63 | 0 | 47.9dc | 8 | 286.7 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-240-48B | 115/230ac | 47-63 | 0 | 47.9dc | 8 | 286.7 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-300-24DC | 115/230 or 115/220/230ac | 47-63 | 0 | 24.12dc | 19.6 | 395 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-1-300-48DC | 115/230 or 115/220/230ac | 47-63 | 0 | 49.15dc | 11.8 | 349.5 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-1-480-24 | 115/230ac | 47-63 | 0 | 24.07dc | 27.3 | 567.1 | 3 | 60950-1 | 20B | 0 | 0 |
| DPS-1-480-24B | 115-230ac | 47-63 | 0 | 24.07dc | 27.3 | 567.1 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-1-480-48 | 115/230ac | 47-63 | 0 | 48.05dc | 13.5 | 583.9 | 3 | 60950-1 | 20B | 0 | 0 |
| DPS-1-480-48B | 115-230ac | 47-63 | 0 | 48.05dc | 13.5 | 583.9 | 3 | 60950-1 | 20B | 0 | 1 |
| DPS-3-120-12 | 3PH 400-500ac | 47/63 | 0 | 12.08dc | 14.8 | 142.76 | 3 | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-3-120-24 | 3PH 400-500Vac | 47-63 | 0 | 24.08dc | 6.95 | 152.32 | - | 60950-1, 2nd Ed + AM1 | 20B | 0 | 1 |
| DPS-3-240-24 | 3PH 400-500Vac | 47-63 | 0 | 24.1dc | 13.7 | 289.92 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-3-240-48 | 3PH 400-500Vac | 47-63 | 0 | 48.03dc | 6.32 | 279.93 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-3-480-24 | 3PH 400-500ac | 47-63 | 0 | 24.1dc | 29.6 | 513 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-3-480-48 | 3PH 400-500ac | 47-63 | 0 | 48.2dc | 19.7 | 498 | 3 | 60950-1, 2nd | 20B | 1 | 0 |
| DPS-3-960-24 | 3PH 400-500Vac | 47-63 | 0 | 24.1dc | 44.5 | 1038 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-3-960-24L | 3PH 400-500Vac | 47-63 | 0 | 24.1dc | 44.5 | 1038 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| DPS-3-960-48 | 3PH 400-500Vac | 47-63 | 0 | 48.1dc | 27.5 | 1176 | 3 | 60950-1, 2nd | 20B | 0 | 1 |
| MPS-1-007- | 100-240ac | 47-63 | 0 | 5 | - | 7.5 | 3 | 60950-1, 2nd | 20B | 0 | 2 |

| | | | | | | | | | | | | |
|-------------------------|-----------|-------|---|------|-----|------|---|--------------|-----|---|---|--|
| 5[*r] | | | | | | | | | | | | |
| MPS-1-010-12[*r] | 100-240ac | 47-63 | 0 | 12 | - | 10 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-010-15[*r] | 100-240ac | 47-63 | 0 | 15 | - | 10 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-010-24[*r] | 100-240ac | 47-63 | 0 | 24 | - | 10 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-015-5 | 100-240ac | 47-63 | 0 | 5.1 | 4.3 | 21.3 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-022-5[*r] | 100-240ac | 47-63 | 0 | 5 | - | 22.5 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-024-12[*r] | 100-240ac | 47-63 | 0 | 12 | 2 | - | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-024-15[*r] | 100-240ac | 47-63 | 0 | 15 | 1.6 | - | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-024-24 | 100-240ac | 47-63 | 0 | 24.0 | 1.3 | 31.2 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-033-12[*r] | 100-240ac | 47-63 | 0 | 12 | - | 33 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-035-5[*r] | 100-240ac | 47-63 | 0 | 5 | - | 35 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-036-15[*r] | 100-240ac | 47-63 | 0 | 15 | - | 36 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-036-24[*r] | 100-240ac | 47-63 | 0 | 24 | - | 36 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-054-12[*r] | 100-240ac | 47-63 | 0 | 12 | - | 54 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-060-15[*r] | 100-240ac | 47-63 | 0 | 15 | - | 60 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-060-24[*r] | 100-240ac | 47-63 | 0 | 24 | - | 60 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-060-5[*r] | 100-240ac | 47-63 | 0 | 5 | - | 60 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-072-12[*r] | 100-240ac | 47-63 | 0 | 12 | - | 72 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-075-15[*r] | 100-240ac | 47-63 | 0 | 15 | - | 75 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |
| MPS-1-100-24[*r] | 100-240ac | 47-63 | 0 | 24 | - | 91 | 3 | 60950-1, 2nd | 20B | 0 | 2 | |

[*r] - Output values are rated.

C - = RoHS (C5=RoHS5, C6=RoHS6 or blank)

L - =Pin length(L1: 2.8, L2: 4.57, L3: 5.8, L4: 6.35 or blank)

T - = Temperature range(T1, T2, T3? represents different temperature range)

Y - Y=05, 12, 15 or 24

Marking: Company name and model designation on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2018-01-16

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

Reprinted from the Online Certifications Directory with permission from UL

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".