UL Product iQ®



Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at https://www.ul.com/about/locations.

Power Circuit and Motor-mounted Apparatus

COMPANY

IMO PRECISION CONTROLS LTD

The Interchange Frobisher Way Hatfield, AL10 9TG United Kingdom

E316761

View model for additional information

Model(s): <u>HPS-1-120-12DC</u>, <u>HPS-1-120-24DC</u>, <u>HPS-1-120-48DC</u>, <u>LPS-1-010-24DC</u>, <u>LPS-1-024-24DC</u>, <u>LPS-1-030-5DC</u>, <u>LPS-1-040-12DC</u>, <u>LPS-1-040-24DC</u>, <u>LPS-1-060-12DC</u>, <u>LPS-1-060-12DC</u>, <u>LPS-1-090-12DC</u>, <u>LPS-1-120-12DC</u>, <u>LPS-1-120-24DC</u>, <u>LPS-1-120-24DC</u>, <u>LPS-1-120-24DC</u>, <u>LPS-1-240-24DC</u>, <u>LPS-1-240-24DC</u>, <u>LPS-3-240-24DC</u>, <u>LPS-3-240-24DC</u>, <u>LPS-3-480-24DC</u>

BusBar System, Model(s): BUB3P115-12-FL, BUB3P115-18-FL, BUB3P115-6-FL

BusBar System, Model(s): <u>BUB1</u> Followed by F or P, followed by 80 or 100, followed by -6, -12, -18, or -xx, where xx represents variable number of pins, followed by 1P, 1F, 2P, 2F, or blank.

BusBar System, Model(s): <u>BUB2</u> Followed by F or P, followed by 80 or 100, followed by -6, -12, -18, or -xx, where xx represents variable number of pins, followed by 1P, 1F, 2P, 2F, or blank.

BusBar System, Model(s): <u>BUB3</u> Followed by F or P, followed by 80 or 100, followed by -6, -12, -18, or -xx, where xx represents variable number of pins, followed by 1P, 1F, 2P, 2F, or blank.

Insulation Cap, Model(s): BUBECAP, BUBISCAP, BUBISPCAP-FL

Power Feed Block, Model(s): BUBA-3

Power Feed Lug, Model(s): BUBA-1, BUBA-1-FL

Power supplies, Model(s): DPS-1-005-05, DPS-1-005-05B, DPS-1-005-12, DPS-1-005-12B, DPS-1-005-15, DPS-1-005-15B, DPS-1-005-24, DPS-1-005-24B, DPS-1-010-05, DPS-1-010-05B, DPS-1-010-12, DPS-1-010-12B, DPS-1-010-15, DPS-1-010-15B, DPS-1-010-24, DPS-1-010-24B, DPS-1-018-05, DPS-1-018-05B, DPS-1-018-12, DPS-1-018-12B, DPS-1-018-15, DPS-1-018-15B, DPS-1-018-24, DPS-1-018-24B, DPS-1-030-05, DPS-1-030-05B, DPS-1-030-12, DPS-1-030-12B, DPS-1-030-24, DPS-1-030-24B, DPS-1-030-24B, DPS-1-030-48, DPS-1-030-48B, DPS-1-060-05, DPS-1-060-05B, DPS-1-060-12, DPS-1-060-12B, DPS-1-060-24, DPS-1-060-24B, DPS-1-060-48, DPS-1-060-48B, DPS-1-100-12, DPS-1-100-24, DPS-1-100-24L, DPS-1-100-48, DPS-1-120-12, DPS-1-120-12B, DPS-1-120-12B, DPS-1-120-24, DPS-1-120-24B, DPS-1-240-24B, DPS-1-300-24D, DPS-3-120-12, DPS-3-120-24, DPS-3-240-24, DPS-3-240-48, DPS-3-480-24, DPS-3-960-24, DPS-3-960-24L, DPS-3-960-48, MPS-1-007-5, MPS-1-010-12, MPS-1-010-15, MPS-1-010-24, MPS-1-015-5, MPS-1-022-5, MPS-1-024-12, MPS-1-060-24, MPS-1-033-12, MPS-1-035-5, MPS-1-036-15, MPS-1-036-24, MPS-1-054-12, MPS-1-060-15, MPS-1-060-24, MPS-1-072-12, MPS-1-075-15, MPS-1-091-24, MPS-1-000-24

Last Updated on 2023-10-11

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."