

NLDX.E146235 - Motor Controllers, Magnetic

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Motor Controllers, Magnetic

IMO PRECISION CONTROLS LTD

E146235

The Interchange Frobisher Way
Hatfield, AL10 9TG United Kingdom

Model(s): DOL10, DOL18, K2-09A, K2-12A, K2-16A, K2-23A, K2-30A, MB 09-S, MB 12-S, MC-151-S-00, MC-176-S-00, MC-210-S-00, MC-260-S-00, MC-316-S-00, MCAA11, MCAT11, MCAT22, MCD10-S, MCD14-S, MCD18-S, MCD22-S, MCD24-S, MCD32-S, MCD40-S, MCOR-6-320

Model(s): DOL14 may or may not be followed by T, M, MW, W, R, MR, 4X, may or may not be followed by additional suffixes.

Model(s): DOL22 may or may not be followed by T, M, MW, W, R, MR, 4X, may or may not be followed by additional suffixes.

Model(s): HC20 followed by -10, -20, -30, -40, -11, -31, -22, -02, -13 or -04, may be followed by -10 or -01, followed by up to three digits.

Model(s): HC25 followed by -10, -20, -30, -40, -11, -31, -22, -02, -13 or -04, may be followed by -10 or -01, followed by up to three digits.

Model(s): HC40 followed by -10, -20, -30, -40, -11, -31, -22, -02, -13 or -04, may be followed by -10 or -01, followed by up to three digits.

Model(s): HC63 followed by -10, -20, -30, -40, -11, -31, -22, -02, -13 or -04, may be followed by -10 or -01, followed by up to three digits.

Model(s): MB09-R-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MB12-R-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC followed by 18, 24, 32, 50, 62 or 74 followed by K followed by 00, 01, 02, 10, 11 or 20 may or may not be followed by T.

Model(s): MC10N-S followed by 00, 01, 10, 00-40, 00-31, 00-22 or 00-04 may or may not be followed by T.

Model(s): MC10-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC115-K-00 followed by -18N, -18NB, -22NB, -24, -32, -40, -50, -62, -74, -90 or -115 followed by K followed by 00, 01, 02, 10, 11 or 20, may be followed by an alphanumeric suffix, may or may not be followed by T.

Model(s): MC115-S-00 may or may not be followed by A followed by 00 or 00-20, may be followed by an alphanumeric suffix, may or may not be followed by T.

Model(s): MC14N-S followed by 00, 01, 10, 00-40, 00-31, 00-22 or 00-04 may or may not be followed by T.

Model(s): MC14-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC18N-K followed by 00, 01, 02, 10, 11 or 20 may or may not be followed by T.

Model(s): MC18N-S followed by 00, 01, 10, 00-40, 00-31, 00-22 or 00-04 may or may not be followed by T.

Model(s): MC18-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC22N-S followed by 00, 01, 10, 00-40, 00-31, 00-22 or 00-04 may or may not be followed by T.

Model(s): MC22-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC24-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC32-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC40-S... Where "..." May or may not be followed by additional suffixes or the letter A.

Model(s): MC50N-00 may be followed by an alphanumeric suffix, may or may not be followed by T, may or may not be followed by B and two digits, may or may not be followed by AZ.

Model(s): MC50-S-00 may be followed by an alphanumeric suffix, may or may not be followed by T, may or may not be followed by B and two digits, may or may not be followed by AZ.

Model(s): MC62N-00 may be followed by an alphanumeric suffix, may or may not be followed by T, may or may not be followed by B and two digits, may or may not be followed by AZ.

Model(s): MC62-S-00 may be followed by an alphanumeric suffix, may or may not be followed by T, may or may not be followed by B and two digits, may or may not be followed by AZ.

Model(s): MC74N-00 may be followed by an alphanumeric suffix, may or may not be followed by T, may or may not be followed by B and two digits, may or may not be followed by AZ.

Model(s): MC74-S-00 may be followed by an alphanumeric suffix, may or may not be followed by T, may or may not be followed by B and two digits, may or may not be followed by AZ.

Model(s): MC90-K-00 followed by -18N, -18NB, -22NB, -24, -32, -40, -50, -62, -74, -90 or -115 followed by K followed by 00, 01, 02, 10, 11 or 20, may be followed by an alphanumeric suffix, may or may not be followed by T.

Model(s): MC90-S-00 may or may not be followed by A followed by 00 or 00-20, may be followed by an alphanumeric suffix, may or may not be followed by T.

Model(s): P1M may or may not be followed by T, M, MW, W, R, MR, 4X, may or may not be followed by additional suffixes.

Model(s): P1MR may or may not be followed by T, M, MW, W, R, MR, 4X, may or may not be followed by additional suffixes.

Model(s): P1MT may or may not be followed by T, M, MW, W, R, MR, 4X, may or may not be followed by additional suffixes.

Model(s): P1MW may or may not be followed by T, M, MW, W, R, MR, 4X, may or may not be followed by additional suffixes.

Motor controllers, Model(s): MDC20-S, MDC48-S, MDC60-S, MDC80-S, MPV150-S, MPV200-S, MPV240-S, MPV300-S, MPV400-S, MPV450-S, MPV80-S

Motor controllers, Model(s): MA04-S-(#)AC Where (#) represents followed by D, followed by 40, 31, 22 or 13, may or may not be followed by =, followed by an alphanumeric suffix, may or may not be followed by VS.

Motor controllers, Model(s): MA04-S-13 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA04-S-22 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA04-S-31 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA04-S-40 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA05-S-(#)AC Where (#) represents followed by D, followed by 01, 10, 00-40, 00-30, 00-31, 00-22 or 00-13, may or may not be followed by =, followed by an alphanumeric suffix, may or may not be followed by VS.

Motor controllers, Model(s): MA05-S-00-13 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA05-S-00-22 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA05-S-00-31 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA05-S-00-40 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA05-S-01 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, Model(s): MA05-S-10 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, reversing, Model(s): MA05-R-S-(#)AC Where (#) represents followed by D, followed by 01, 10 or 00-40, followed by MC, may or may not be followed by =, followed by an alphanumeric suffix, may or may not be followed by VS.

Motor controllers, reversing, Model(s): MA05-R-S-00-40 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, reversing, Model(s): MA05-R-S-01 (a)DC Where (a) represents followed by an alphanumeric suffix.

Motor controllers, reversing, Model(s): MA05-R-S-10 (a)DC Where (a) represents followed by an alphanumeric suffix.

Last Updated on 2021-11-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"

Reprinted from the Online Certifications Directory with permission from UL