

NRNT2.E73266 **Switches, Industrial Control - Component**

Page Bottom

Switches, Industrial Control - Component

See General Information for Switches, Industrial Control - Component

NEC TOKIN CORP E73266

ELECTROMECHANICAL DEVICES DIV 7-1-1 ASAHI-CHO SHIROISHI-SHI, MIYAGI-KEN 989-0223 JAPAN

Investigated to ANSI/UL 508

Open type, for use in electronic data processing applications Model(s) MR301, followed by 3, 5, 6, 9, 12, 24 or 48, may or may not be followed by H, followed by F or U, may be followed by S, may or may not be followed by Y, may or may not be followed by

MR301, followed by N, followed by optional numbers, followed by U.

Open type, for use in electronic data processing equipment, office appliances and similar applications Model(s) EA2 or EB2, may be followed by -3, -4, -4.5, -5, -6, -9, -12, -24 or -48, may or may not be followed by S or T, may or may not be followed by N*

EC2 or EE2, may be followed by -3, -4, -4.5, -5, -6, -9, -12, -24 or -48 may or may not be followed by S or T, may or may not be followed by N, ND or NY*

ED2 or EF2 may be followed by -1.5, -2, -3, -4.5, -5, -6, -9, -12 or -24, may or may not be followed by S or T, may or may not be followed by N or NY3

EG2, followed by -4.5, -5, -6, -9, -12 or -24 may or may not be followed by NU*

EH, may be followed by -5 or -12, may or may not be followed by N*

UA2, UB2, UC2 or UD2, followed by -1.5, -2.4, -3, -4, -4.5, -5, -6, -9, -12 or -24, may be followed by S, followed by N, ND or NE*

Open type, for use in industrial applications Model(s) MR321 A - followed by 3, 5, 6, 9, 12, 24 or 48 may or may not be followed by H, followed by U.

MR602, MR612 or MR622, followed by 1.5 thru 48, followed by N, followed by optional numbers followed by U, may or may not be followed by Y, may or may not be followed by additional letters and/or numbers.

MR602, MR612 or MR622, may or may not be followed by L or 2L, followed by 1.5 thru 48, may or may not be followed by K, followed by F, U or W, followed by S, may or may not be followed by 2, may or may not be followed by R, may or may not be followed by P, may or may not be followed by additional letters and/or numbers.

MR62 or MR82, followed by 2.2 to 48 incl., followed by N, followed by optional numbers 1 thru 99, may or may not be followed by Z, may or may not be followed by additional letters and/or numbers.

MR62 or MR82, followed by 2.2 to 48 incl., followed by S, followed by B, may or may not be followed by additional letters and/or numbers.

MR62 or MR82, may or may not be followed by L, followed by 2.2 to 48 incl., followed by F, U, or W, may or may not be followed by K, followed by S, may or may not be followed by R, may or may not be followed by Y, may or may not be followed by Z, may or may not be followed by additional letters and/or numbers.

* - May be followed by additional letters and/or numbers.

Marking: Company name and model designation on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2013-07-07

Print this page Questions? Terms of Use Page Top

Reprinted from the Online Certifications Directory with permission from UL

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the UL Environment database for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".