

**QQQQ8.E316758****Power Supplies, Information Technology Equipment Including Electrical Business Equipment Certified for Canada - Component**

Page Bottom

**Power Supplies, Information Technology Equipment Including Electrical Business Equipment Certified for Canada - Component**See General Information for Power Supplies, Information Technology Equipment Including Electrical Business Equipment Certified for Canada - Component**IMO PRECISION CONTROLS LTD**

E316758

The Interchange Frobisher Way  
Hatfield, AL10 9TG UNITED KINGDOM

Model No.	Rated Input			Max Output				SP	EP	FC	GC
	Volts	Hz	SC	V	A	VA	OC				
<b>Component power supply.</b>											
<b>BPS-1-100-12 DC[*r]</b>	100-240ac	50/60	0	12dc	8	96	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-120-24 DC[*r]</b>	100-240ac	50/60	0	24dc	5	120	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-120-48 DC[*r]</b>	100-240ac	50/60	0	48dc	2.5	120	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-15-12 DC[*r]</b>	100-240ac	50/60	0	12dc	1.2	14.4	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-15-24 DC[*r]</b>	100-240ac	50/60	0	24dc	0.65	15.6	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-180-24 DC[*r]</b>	100-240ac	50/60	0	24dc	7.5	180	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-180-48 DC[*r]</b>	100-240ac	50/60	0	48dc	3.8	182.4	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-240-24 DC[*r]</b>	100-240ac	50/60	0	24dc	10	240	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-240-48 DC[*r]</b>	100-240ac	50/60	0	48dc	5	240	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-30-12 DC[*r]</b>	100-240ac	50/60	0	12dc	2.5	30	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-30-24 DC[*r]</b>	100-240ac	50/60	0	24dc	1.3	31.2	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-30-5 DC[*r]</b>	100-240ac	50/60	0	5dc	5	25	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-50-12 DC[*r]</b>	100-240ac	50/60	0	12dc	4.2	50.4	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-50-24 DC[*r]</b>	100-240ac	50/60	0	24dc	2.2	52.8	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-50-48 DC[*r]</b>	100-240ac	50/60	0	48dc	1.1	52.8	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-60-12 DC[*r]</b>	100-240ac	50/60	0	12dc	5	60	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-70-24 DC[*r]</b>	100-240ac	50/60	0	24dc	3	72	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>BPS-1-70-48 DC[*r]</b>	100-240ac	50/60	0	48dc	1.5	72	3	60950-1, 2nd Ed+AM1+AM2	20	0	1
<b>DPS -1-480-24</b>	115/230ac	47-63	0	24.07dc	27.3	567.1	3	60950-1, 2nd Ed + AM1	20B	0	1

<b>DPS -1-480-48</b>	115/230ac	47-63	0	48.05dc	13.5	583.9	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS -1-480-48B</b>	115/230ac	47-63	0	48.05dc	13.5	583.9	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-1-005-05[*r]</b>	100-240ac	47-63	0	5dc	-	5	3	60950-1	20B	0	1
<b>DPS-1-005-05B[*r]</b>	100-240ac	47-63	0	5dc	-	5	3	60950-1, 2nd	20B	0	1
<b>DPS-1-005-12[*r]</b>	100-240ac	47-63	0	12dc	-	5	3	60950-1	20B	0	1
<b>DPS-1-005-12B[*r]</b>	100-240ac	47-63	0	12dc	-	5	3	60950-1, 2nd	20B	0	1
<b>DPS-1-005-15[*r]</b>	100-240ac	47-63	0	15dc	-	5	3	60950-1	20B	0	1
<b>DPS-1-005-15B[*r]</b>	100-240ac	47-63	0	15dc	-	5	3	60950-1, 2nd	20B	0	1
<b>DPS-1-005-24[*r]</b>	100-240ac	47-63	0	24dc	-	5	3	60950-1	20B	0	1
<b>DPS-1-005-24B[*r]</b>	100-240ac	47-63	0	24dc	-	5	3	60950-1, 2nd	20B	0	1
<b>DPS-1-010-05[*r]</b>	100-240ac	47-63	0	5dc	-	10	3	60950-1	20B	0	1
<b>DPS-1-010-05B[*r]</b>	100-240ac	47-63	0	5dc	-	10	3	60950-1, 2nd	20B	0	1
<b>DPS-1-010-12[*r]</b>	100-240ac	47-63	0	12dc	-	10	3	60950-1	20B	0	1
<b>DPS-1-010-12B[*r]</b>	100-240ac	47-63	0	12dc	-	10	3	60950-1, 2nd	20B	0	1
<b>DPS-1-010-15[*r]</b>	100-240ac	47-63	0	15dc	-	10	3	60950-1	20B	1	0
<b>DPS-1-010-15B[*r]</b>	100-240ac	47-63	0	15dc	-	10	3	60950-1, 2nd	20B	1	0
<b>DPS-1-010-24[*r]</b>	100-240ac	47-63	0	24dc	-	10	3	60950-1	20B	1	0
<b>DPS-1-010-24B[*r]</b>	100-240ac	47-63	0	24dc	-	10	3	60950-1, 2nd	20B	1	0
<b>DPS-1-018-05[*r]</b>	100-240ac	47-63	0	5dc	-	15	3	60950-1	20B	1	0
<b>DPS-1-018-05B[*r]</b>	100-240ac	47-63	0	5dc	-	15	3	60950-1, 2nd	20B	1	0
<b>DPS-1-018-12[*r]</b>	100-240ac	47-63	0	12dc	-	18	3	60950-1	20B	1	0
<b>DPS-1-018-12B[*r]</b>	100-240ac	47-63	0	12dc	-	18	3	60950-1, 2nd	20B	1	0
<b>DPS-1-018-15[*r]</b>	100-240ac	47-63	0	15dc	-	18	3	60950-1	20B	1	0
<b>DPS-1-018-15B[*r]</b>	100-240ac	47-63	0	15dc	-	18	3	60950-1, 2nd	20B	1	0
<b>DPS-1-018-24[*r]</b>	100-240ac	47-63	0	24dc	-	18	3	60950-1	20B	1	0
<b>DPS-1-018-24B[*r]</b>	100-240ac	47-63	0	24dc	-	18	3	60950-1, 2nd	20B	1	0
<b>DPS-1-030-05</b>	100-240ac	47-63	0	5.87dc	7.9	41.38	3	60950-1	20B	0	1
<b>DPS-1-030-05B</b>	100-240ac	47-63	0	5	-	30	3	60950-1, 2nd	20B	0	1
<b>DPS-1-030-12</b>	100-240ac	47-63	0	14.96dc	4	45.88	3	60950-1	20B	0	1
<b>DPS-1-030-12B</b>	100-240ac	47-63	0	12	-	30	3	60950-1, 2nd	20B	0	1
<b>DPS-1-030-24</b>	120-240ac	47-63	0	24dc	-	30	3	60950-1	20B	0	1
<b>DPS-1-030-24B</b>	100-240ac	47-63	0	24	-	30	3	60950-1, 2nd	20B	0	1

<b>DPS-1-030-48</b>	100-240ac	47-63	0	56.87dc	0.93	42	3	60950-1	20B	0	1
<b>DPS-1-030-48B</b>	100-240ac	47-63	0	48	-	30	3	60950-1, 2nd	20B	0	1
<b>DPS-1-060-05</b>	100-240ac	47-63	0	5.73dc	11.4	57.2	3	60950-1	20B	0	1
<b>DPS-1-060-05B</b>	100-240ac	47-63	0	5	-	60	3	60950-1, 2nd	20B	0	1
<b>DPS-1-060-12</b>	100-240ac	47-63	0	14.76dc	7	87	3	60950-1	20B	0	1
<b>DPS-1-060-12B</b>	100-240ac	47-63	0	12	-	60	3	60950-1, 2nd	20B	0	1
<b>DPS-1-060-24</b>	100-240ac	47-63	0	28.5dc	3.48	91.45	3	60950-1	20B	0	1
<b>DPS-1-060-24B</b>	100-240ac	47-63	0	24	-	60	3	60950-1, 2nd	20B	0	1
<b>DPS-1-060-48</b>	100-240ac	47-63	0	28.5dc	3.48	91.45	3	60950-1	20B	0	1
<b>DPS-1-060-48B</b>	100-240ac	47-63	0	48	-	60	3	60950-1, 2nd	20B	0	1
<b>DPS-1-100-12</b>	100-240ac	47-63	0	12.167	15.94	113.88	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-1-100-24[*r]</b>	100-240ac	47-63	0	24	-	100	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-1-100-24L[*r]</b>	100-240ac	47-63	0	24	-	92	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-1-100-48</b>	100-240ac	47-63	0	48.13	5.5	134.56	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-1-120-12, DPS-1-120-12B</b>											
	115/220/230ac	47-63	0	12.02	14	124.68	3	60950-1	20B	0	1
<b>DPS-1-120-24, DPS-1-120-24B</b>											
	115/220/230ac	47-63	0	24.07	7.6	131.7	3	60950-1	20B	0	1
<b>DPS-1-120-24BL</b>	115/220/230ac	47-63	0	24.07	7.6	131.7	3	60950-1	20B	0	1
<b>DPS-1-120-24L</b>	115/220/230ac	47-63	0	24.07	7.6	131.7	3	60950-1	20B	0	1
<b>DPS-1-120-48, DPS-1-120-48B</b>											
	115/220/230ac	47-63	0	47.89	3.8	150.08	3	60950-1	20B	0	1
<b>DPS-1-240-24</b>	115/230ac	47-63	0	24dc	14.5	308.1	3	60950-1	20B	0	1
<b>DPS-1-240-24B</b>	115/230ac	47-63	0	24dc	14.5	308.1	3	60950-1	20B	0	1
<b>DPS-1-240-48</b>	115/230ac	47-63	0	47.9dc	8	286.7	3	60950-1	20B	0	1
<b>DPS-1-240-48B</b>	115/230ac	47-63	0	47.9dc	8	286.7	3	60950-1	20B	0	1
<b>DPS-1-300-24DC</b>	115/230 or 115/220/230ac	47-63	0	24.12dc	19.6	395	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-1-300-48DC</b>	115/230 or 115/220/230ac	47-63	0	49.15dc	11.8	349.5	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-1-480-24</b>	115/230ac	47-63	0	24.07dc	27.3	567.1	3	60950-1	20B	0	0
<b>DPS-1-480-24B</b>	115-230ac	47-63	0	24.07dc	27.3	567.1	3	60950-1	20B	0	1
<b>DPS-1-480-48</b>	115/230ac	47-63	0	48.05dc	13.5	583.9	3	60950-1	20B	0	0
<b>DPS-1-480-48B</b>	115-230ac	47-63	0	48.05dc	13.5	583.9	3	60950-1	20B	0	1
<b>DPS-3-120-12</b>	3PH 400-500ac	47/63	0	12.08dc	14.8	142.76	3	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-3-120-24</b>	3PH 400-500Vac	47-63	0	24.08dc	6.95	152.32	-	60950-1, 2nd Ed + AM1	20B	0	1
<b>DPS-3-240-24</b>	3PH 400-500Vac	47-63	0	24.1dc	13.7	289.92	3	60950-1, 2nd	20B	0	1
<b>DPS-3-240-48</b>	3PH 400-500Vac	47-63	0	48.03dc	6.32	279.93	3	60950-1, 2nd	20B	0	1
<b>DPS-3-480-24</b>	3PH 400-500ac	47-63	0	24.1dc	29.6	513	3	60950-1, 2nd	20B	1	0
<b>DPS-3-480-48</b>	3PH 400-500ac	47-63	0	48.2dc	19.7	498	3	60950-1, 2nd	20B	1	0
<b>DPS-3-960-24</b>	3PH 400-500Vac	47-63	0	24.1dc	44.5	1038	3	60950-1, 2nd	20B	0	1
<b>DPS-3-960-24L</b>	3PH 400-500Vac	47-63	0	24.1dc	44.5	1038	3	60950-1, 2nd	20B	0	1
<b>DPS-3-960-48</b>	3PH 400-500Vac	47-63	0	48.1dc	27.5	1176	3	60950-1, 2nd	20B	0	1

<b>MPS-1-007-5[*r]</b>	100-240ac	47-63	0	5	-	7.5	3	60950-1, 2nd	20B	0	2
<b>MPS-1-010-12[*r]</b>	100-240ac	47-63	0	12	-	10	3	60950-1, 2nd	20B	0	2
<b>MPS-1-010-15[*r]</b>	100-240ac	47-63	0	15	-	10	3	60950-1, 2nd	20B	0	2
<b>MPS-1-010-24[*r]</b>	100-240ac	47-63	0	24	-	10	3	60950-1, 2nd	20B	0	2
<b>MPS-1-015-5</b>	100-240ac	47-63	0	5.1	4.3	21.3	3	60950-1, 2nd	20B	0	2
<b>MPS-1-022-5[*r]</b>	100-240ac	47-63	0	5	-	22.5	3	60950-1, 2nd	20B	0	2
<b>MPS-1-024-12[*r]</b>	100-240ac	47-63	0	12	2	-	3	60950-1, 2nd	20B	0	2
<b>MPS-1-024-15[*r]</b>	100-240ac	47-63	0	15	1.6	-	3	60950-1, 2nd	20B	0	2
<b>MPS-1-024-24</b>	100-240ac	47-63	0	24.0	1.3	31.2	3	60950-1, 2nd	20B	0	2
<b>MPS-1-033-12[*r]</b>	100-240ac	47-63	0	12	-	33	3	60950-1, 2nd	20B	0	2
<b>MPS-1-035-5[*r]</b>	100-240ac	47-63	0	5	-	35	3	60950-1, 2nd	20B	0	2
<b>MPS-1-036-15[*r]</b>	100-240ac	47-63	0	15	-	36	3	60950-1, 2nd	20B	0	2
<b>MPS-1-036-24[*r]</b>	100-240ac	47-63	0	24	-	36	3	60950-1, 2nd	20B	0	2
<b>MPS-1-054-12[*r]</b>	100-240ac	47-63	0	12	-	54	3	60950-1, 2nd	20B	0	2
<b>MPS-1-060-15[*r]</b>	100-240ac	47-63	0	15	-	60	3	60950-1, 2nd	20B	0	2
<b>MPS-1-060-24[*r]</b>	100-240ac	47-63	0	24	-	60	3	60950-1, 2nd	20B	0	2
<b>MPS-1-060-5[*r]</b>	100-240ac	47-63	0	5	-	60	3	60950-1, 2nd	20B	0	2
<b>MPS-1-072-12[*r]</b>	100-240ac	47-63	0	12	-	72	3	60950-1, 2nd	20B	0	2
<b>MPS-1-075-15[*r]</b>	100-240ac	47-63	0	15	-	75	3	60950-1, 2nd	20B	0	2
<b>MPS-1-100-24[*r]</b>	100-240ac	47-63	0	24	-	91	3	60950-1, 2nd	20B	0	2

[\*r] - Output values are rated.


C - = RoHS (C5=RoHS5, C6=RoHS6 or blank)

L - =Pin length(L1: 2.8, L2: 4.57, L3: 5.8, L4: 6.35 or blank)

T - = Temperature range(T1, T2, T3? represents different temperature range)

Y - Y=05, 12, 15 or 24



Marking: Company name, model designation and the Recognized Component Mark for Canada,  on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2018-01-16

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

Reprinted from the Online Certifications Directory with permission from UL

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".